



## Access to fluoridated drinking water

This report presents information about the population with access to fluoridated drinking water in Aotearoa, New Zealand, based on the records in Taumata Arowai's Public Register of Drinking Water Supplies.

## **Key facts**

- Of the New Zealanders on drinking water supplies verified by Taumata Arowai, 57.5% (about 2.5 million people) reportedly had access to fluoridated water as of July 2024.
- The proportion of the population with access to fluoridated water has remained largely unchanged since 2014/15.
- Only 15.7% of the South Island population on registered supplies reportedly have access to fluoridated drinking water, compared with 72.3% of the North Island population.

### **Background information**

Tooth decay (dental caries) is a major chronic disease among New Zealanders of all ages. It is often accompanied by pain, infection, and tooth loss, and can lead to absence from work or school while the condition is treated (OPMCSA 2021). Dental caries (cavities) are caused by acids secreted by bacteria in the mouth. The acids dissolve the hard enamel of the tooth surface and trigger dental decay. A high-sugar diet can raise the number of bacteria, which in turn increases the production of decay-causing acids (Ministry of Health 2010, OPMCSA 2021).

Fluoride is known to protect teeth against dental caries, so adding fluoride to drinking water supplies can help limit tooth decay. Fluoride works to protect teeth in three ways (OPMCSA 2021):

- strengthening of tooth enamel, making teeth more resistant to decay
- interference with the growth of bacteria that cause cavities
- repair of the early stages of tooth decay.

In July 2022, 14 local authorities were directed to add fluoride to one or more of their drinking water supplies using new powers afforded to the Director-General of Health by an amendment to the Health Act in 2021. Three have since introduced fluoride to their supplies.

However, updates to fluoridation status will not immediately appear in Taumata Arowai's record of verified supplies, on which this report relies, until the supplier notifies the regulator of the change, and that change is processed into the register. For this reason, we anticipate the percentages presented in this report will underestimate the true numbers of people provided with fluoride in their drinking water.

# Less than 60% of New Zealanders on verified supplies have access to fluoridated drinking water

As of July 2024, around 4.3 million New Zealanders (81% of the population) were recorded as being served water from supplies registered with and verified by Taumata Arowai. The remainder were served water from unregistered supplies, which typically serve less than 100 people, or supplies which had not yet had their condition confirmed by the new regulator as of July 2024. Of the population on registered, verified supplies, 57.5% (2.5 million) reportedly had access to fluoridated drinking water. From 2014/15 onwards, this percentage of people with access to fluoridated water has remained largely unchanged, never going above 62% (Figure 1).

The peak in the proportion of the population receiving fluoridated water in 2010/11 was due to a large drop in the recorded population on registered water supplies rather than increased access to fluoridated drinking water. In 2010/11, 10 supplies serving 400,000 people in Christchurch were excluded from the Annual Drinking-water Quality Report (Ministry of Health, 2012) following the Canterbury earthquakes.

However, because Christchurch's water supply was not fluoridated, this did not change the number of people with access to fluoridated water and instead skewed the data for the overall population of New Zealand (Table 1). As the recorded 'total population on registered supplies' changed drastically for this reporting period only, the peak should be discounted as an outlier.

The actual number of people who are recorded as receiving fluoridated water in each period is presented in Table 1.




Figure 1: Population on verified and fluoridated drinking water supplies, 2009/10 to 2024

Note: The change in the regulatory body associated with collecting this data changed the period with which the data points are associated. Data reported by the Ministry of Health refers to a July-June annual reporting period. Data from Taumata Arowai (2024 onwards) is a snapshot of the registered water supplies at the time EHINZ received the data.

Source: Ministry of Health (2011-2022), Taumata Arowai (2024)

Table 1: Population on verified and fluoridated drinking water supplies, 2009/10 to 2024

Period:	2009/ 10	2010/ 11	2011/ 12	2012/ 13	2013/ 14	2014/ 15	2015/ 16	2016/ 17	2017/ 18	2018/ 19	2019/ 20	2020/ 21	2024
Verified supply population (millions)	4.0	3.4	3.8	3.8	3.8	3.8	3.8	3.8	3.8	4.1	4.1	4.2	4.3
Population served fluoridated water (millions)	2.4	2.3	2.3	2.1	2.1	2.3	2.3	2.3	2.2	2.4	2.5	2.5	2.5
Proportion served fluoridated water	59.1%	68.5%	59.5%	55.7%	55.6%	60.0%	60.0%	59.9%	58.1%	60.0%	61.4%	60.6%	57.5%

Note: The change in the regulatory body associated with collecting this data changed the period with which the data points are associated. Data reported by the Ministry of Health refers to a July-June annual reporting period. Data from Taumata Arowai (2024 onwards) is a snapshot of the registered water supplies at the time EHINZ received the data.

Source: Ministry of Health (2011-2022), Taumata Arowai (2024)

## Access to fluoridated drinking water is much lower in the South Island

In the South Island, just 15.7% of the population on verified supplies were recorded as being served fluoridated drinking water in 2024. In comparison, 72.3% of the North Island population on verified supplies were reportedly served fluoridated drinking water. This translates to 157,410 people receiving fluoridated water in the South Island, compared to 2,302,689 in the North Island. (Figure 2 & Table 2 on the pages below).

Figure 2: Percentage of the population on verified and fluoridated drinking water supplies, by territorial authority, July 2024




Table 2: Population on verified and fluoridated drinking water supplies, by territorial authority, July 2024

Territorial Authority Name	People on registered supplies	People served fluoridated water	People served fluoridated water
Far North District	30,285	-	0.0%
Whangārei District	74,873	-	0.0%
Kaipara District	7,653	-	0.0%
Auckland	1,426,178	1,373,739	96.3%
Thames-Coromandel District	25,619	7,883	30.8%
Hauraki District	19,817	-	0.0%
Waikato District	29,435	21,500	73.0%
Matamata-Piako District	18,814	6,943	36.9%
Hamilton City	185,325	185,300	100.0%
Waipa District	44,237	-	0.0%
Otorohanga District	5,965	-	0.0%
South Waikato District	18,959	13,300	70.2%
Waitomo District	5,699	-	0.0%
Taupo District	46,172	35,051	75.9%
Western Bay of Plenty	31,504	-	0.0%
District			
Tauranga City	158,500	-	0.0%
Rotorua District	68,893	-	0.0%
Whakatāne District	31,418	21,020	66.9%
Kawerau District	7,721	-	0.0%
Ōpōtiki District	5,210	-	0.0%
Gisborne District	42,252	39,000	92.3%
Wairoa District	5,464	-	0.0%
Hastings District	70,491	64,764	91.9%
Napier City	64,035	-	0.0%
Central Hawke's Bay District	8,344	-	0.0%
New Plymouth District	74,496	-	0.0%
Stratford District	7,202	6,773	94.0%
South Taranaki District	18,671	12,639	67.7%
Ruapehu District	10,860	-	0.0%
Whanganui District	46,769	-	0.0%
Rangitikei District	9,045	-	0.0%
Manawatu District	23,845	17,350	72.8%
Palmerston North City	80,293	79,427	98.9%
Tararua District	11,829	-	0.0%
Horowhenua District	26,351	-	0.0%
Kapiti Coast District Porirua City*	58,560	48,000	82.0%
Upper Hutt City* Hutt City*	350,420	350,000	100.0%
Wellington City* Masterton District	20.522	20.000	97.1%
Carterton District	20,589	20,000	0.0%
	6,056 7,260	-	0.0%
South Wairarapa District Tasman District	7,260 37,055	-	0.0%
	37,955 52,520	-	0.0%
Nelson City Marlhorough District	52,520 41,247	1,500	3.6%
Marlborough District Kaikoura District	41,247 3,680	1,500	0.0%
Raikoura District Buller District	3,680 6,876	-	0.0%
Grey District	10,178	-	0.0%
Westland District	8,094	-	0.0%
Westiand District Hurunui District	•	-	0.0%
Waimakariri District	15,194 52,425	-	0.0%
Christchurch City	394,279	-	0.0%
Selwyn District	73,523	1,700	2.3%
Ashburton District	23,982	1,878	7.8%
		1.0/0	

Mackenzie District	5,840	-	0.0%
Waimate District	8,668	-	0.0%
Chatham Islands	321	-	0.0%
Waitaki District	20,232	-	0.0%
Central Otago District	23,635	-	0.0%
Queenstown Lakes District	97,616	-	0.0%
Dunedin City	115,522	112,515	97.4%
Clutha District	15,171	7,361	48.5%
Southland District	12,985	-	0.0%
Gore District	9,290	-	0.0%
Invercargill City	50,973	50,456	99.0%
New Zealand	4,309,036	2,478,099	57.5%

Note: TAs marked in **bold** have received a directive to commence fluoridation of water supplies.

#### Data for this indicator

This indicator analyses data provided to EHINZ by Taumata Arowai, extracted from their live list of verified drinking water supplies in July of 2024. Historical figures sourced from the Ministry of Health's now-disestablished Annual Reports on drinking water are also presented to provide context for trends over time.

Due to the delay between supplies becoming fluoridated and the updating of that supply's record within Taumata Arowai's register, some recently fluoridated supplies may be listed as 'non-fluoridated' in the source data. EHINZ has made no adjustments or corrections to the figures in this report to account for this, and all claims made in this report are based on the data exactly as supplied.

For instance, New Plymouth commenced fluoridation in July 2023 but was still listed as 'non-fluoridated' in the Public Register of Drinking Water Supplies – and consequently, in this report, one year later. There is no mechanism within either the data provided to us or in Taumata Aromwai's online public registry to assess the currency of the record for any supply.

EHINZ understands that the record for New Plymouth was eventually updated when the supplier notified Tauamta Arowai of the change at some point between July 16<sup>th</sup> and September 12<sup>th</sup> 2024. As this change occurred following the data provision and the initial publication of this report, it is not represented in the figures presented above. The records for any other TAs directed to commence fluoridation are also related exactly as they were in the data provided to us, and may not reflect changes to their fluoridation status that were not yet on record.

These figures also do not account for faults in the process of adding fluoride to water supplies that may cause fewer than the stated number of people to have access to fluoridated drinking water. Local agreements that exclude fluoridation from subsets of larger supplies, or private supplies that are fluoridated are also excluded.

For additional information, see the Metadata sheet.

<sup>\* -</sup> The primary water supply for these TAs is 'Wellington Region Bulk Water', which serves residents across the four TAs. Because 'population served' is recorded per supply, it is not possible to provide numbers for each TA individually.

Source: Taumata Arowai 2024

#### References

Ministry of Health. 2010. *Our Oral Health: Key findings of the 2009 New Zealand Oral Health Survey.* Wellington: Ministry of Health.

Ministry of Health. 2011-2022. Annual Reports on Drinking-water Quality. Wellington: Ministry of Health.

Ministry of Health. 2022. *Director-General of Health's role in decision-making on the fluoridation of drinking-water supplies.* Wellington: Ministry of Health. URL: <a href="https://www.health.govt.nz/our-work/preventative-health-wellness/oral-health/community-water-fluoridation-aotearoa-new-zealand">https://www.health.govt.nz/our-work/preventative-health-wellness/oral-health/community-water-fluoridation-aotearoa-new-zealand</a> (accessed 5 August 2024)

Office of the Prime Minister's Chief Science Advisor (OPMSCA). 2021. *Fluoridation: an update on evidence*. Wellington: Office of the Prime Minister's Chief Science Advisor.

Taumata Arowai. 2024. Extract from the public register of drinking water supplies. Wellington: Taumata Arowai (Personal communication with Taumata Arowai analysts)

Explore geographic data on interactive dashboards:

Water dashboard EHINZ dashboard

Previous surveillance reports:

<u>2023</u> <u>2021</u> <u>2018</u>

Other related topics include:

Access to safe drinking Water Waterborne diseases related to drinking water water

#### **Disclaimer**

Environmental Health Intelligence NZ – Rapu Mātauranga Hauora mo te Taiao - Aotearoa, makes no warranty, express or implied, nor assumes any legal liability or responsibility for the accuracy, correctness, completeness or use of any information that is available in this surveillance report.

#### **Author**

The author of this report is Patrick Hipgrave, <a href="mailto:ehinz@massey.ac.nz">ehinz@massey.ac.nz</a>

#### Citation

Environmental Health Intelligence. 2024. *Access to fluoridated drinking water*. [Surveillance Report]. Wellington: Environmental Health Intelligence NZ, Massey University.

Visit the EHINZ website

Subscribe to our newsletter